




WWSE

WWSE "PROFESSIONAL" WHEEL WEIGHING PLATFORMS



Platforms designed for creating weighing stations for large vehicles (vans, trucks, tankers, tractor-trailers, etc.); particularly accurate and sturdy, with attention to details.

The best solution
for advanced industrial
applications

FEATURES

- Platform dimensions: 700x561mm. Height 55mm. Weight approximately 26kg.
- Loading surface: 700x450mm.
- Fitted with wheels for transporting the platform.
- Sturdy structure, made in special aluminium, which guarantees lightness and makes these suitable also for harsh working conditions.
- Cable with quick connector, platform side.
- 10 m cable for connecting platform to indicator, complete of connector.
- IP68 stainless steel load cells.
- Hermetic junction box with IP68 protection degree.
- Special vulcanised nonslip rubber applied under the platform, for good grip on all types of surfaces.
- Extremely simple and reliable connection of the scale to the weight indicator.
- Fitted with IP68 protection, with IP68 connector and PUR cable.
- The WWS platforms are patented; the number is 1.342.302.
- Available also in CE-M APPROVED version.


OPTIONS AND ACCESSORIES

- High resolution model for internal factory use.
- Frame for flush floor installation.
- Levelling module for axle weighing.
- On/off ramp.

NOTES ON THE CE-M APPROVED VERSIONS

- The platforms are for legal for trade use:
 - In the single-platform systems, not used to weigh vehicles.
 - In the wheel weighing systems in which the number of platforms is equal to the number of vehicle wheels.
 - In the axle weighing systems composed of one or more multiples of WWS platforms, except where the limitations of use of some European States.
- The axle weighing systems with 2 WWS platforms and a 3590E "AF09" weight indicator are OIML R134 certified for the dynamic vehicle weighing, according to the legal standards in force in the Country of use.




DETAIL 1



WWSE: dimensions in mm.

VERSIONS

Available versions

| Code | Surface l x w (mm) | Max (kg) | d (kg) | CE-M 3000e (kg) | d* HR (kg) |
|--|-----------------------|-------------|-----------|--------------------|---------------|
| WWSE6T | 700x450 | 6000 | 2 | -- | 0,2 |
| WWSE10T | 700x450 | 10000 | 5 | -- | 0,5 |
| WWSE15T | 700x450 | 15000 | 5 | -- | 0,5 |
| WWSE6TM  | 700x450 | 6000 | -- | 2 | -- |
| WWSE10TM  | 700x450 | 10000 | -- | 5 | -- |
| WWSE12.5TM  | 700x450 | 12500 | -- | 5 | -- |

(*) These divisions are obtainable only with the relative options

NOTES:

- The CE-M division is referred to the weight of the single platform.
- The CE-M division in which the sum weight is indicated in the wheels weighing systems (4 platforms) is equal to the sum of the single platforms' divisions, rounded. Example: with 4 approved platforms with division 200g, the approved sum weight will be indicated with division 1kg.



MWS LTD

UNIT 17 HUTCHINSON STREET - LE2 OBD - LEICESTER

Tel. 08452602602

Fax. 0044-08452602612

E-mail sales@mws.ltd.uk

Web www.mws.ltd.uk